

PUBLIC WORKS CONDITIONS OF APPROVAL

PROJECT NO. PL24-0110 (SA)

DATE: August 12, 2025 PC MEETING DATE: August 20, 2025

PROJECT DESCRIPTION: Proposed development of a luxury rental community on blocks 6 and 8.

PROJECT LOCATION: SE corner of Pine Avenue and West Preserve Loop

APPLICANT: Chino Preserve Development Corp. PROJECT ENGINEER: Daniel Aguirre and Felicia Marshall

PRIOR TO THE THREE MAJOR DEVELOPMENT EVENTS, THE APPLICANT SHALL SATISFY AND FULFILL ALL CONDITIONS OUTLINED BELOW. FAILURE TO COMPLY WITH ANY CONDITIONS OF APPROVAL SHALL BE DEEMED JUST CAUSE FOR REVOCATION OF PROJECT APPROVAL BY THE PLANNING COMMISSION. HOWEVER, THE PUBLIC WORKS DIRECTOR SHALL HAVE THE AUTHORITY TO APPROVE MINOR DEVIATIONS IN THE CONDITIONS OF APPROVAL, AND ALL PLANS INCLUDING THE CONSTRUCTION DRAWINGS.

COMPLY WITH ALL CONDITIONS OF APPROVAL FROM TENTATIVE TRACT MAP 16420-8 (PL23-0043) INCLUDING BUT NOT LIMITED TO CONSTRUCTION OF OFFSITE PUBLIC IMPROVEMENTS NEEDED TO SERVE THE PROJECT ALONG WEST PRESERVE LOOP, LEGACY PARK STREET, MAIN STREET, AND MARKET STREET APPROVED BY THE PLANNING COMMISSION ON MAY 15, 2024.

THIS PROJECT SHALL ALSO COMPLY WITH THE APPLICABLE ENGINEERING CONDITIONS OF APPROVAL FOR TENTATIVE TRACT MAP NO. 16420 APPROVED BY THE PLANNING COMMISSION ON FEBRUARY 23, 2022.

1.0 **PRIOR TO ISSUANCE OF BUILDING OR CONSTRUCTION PERMITS:**

- 1.1. Record Tract Map No.16420-8 pursuant to the Subdivision Map Act and in accordance with City Municipal Code. Provide a duplicate photo Mylar of the recorded map to the City's Engineer's office.
- 1.2. All required plans and studies shall be prepared by a Registered Professional Engineer and submitted to the Project Engineer for review and approval. All project plans must be approved by the City Engineer's office before a Building Permit will be issued. All maps, studies, calculation sheets, reports, etc. must be on and/or folded in an 11-inch by 8½-inch standard format.
- 1.3. Dedicate to the City all Private Drives that are 26-foot wide for fire lane access purposes.
- 1.4. Prepare and record necessary drainage easements to implement the project in accordance with drainage law.
- 1.5. Prepare and submit a drainage study, including supporting hydraulic and hydrological data to the project engineer for approval. The study shall confirm or recommend changes to the City's adopted Master Drainage Plan by identifying off-site and on-site storm water runoff impact resulting from build-out of permitted General Plan land uses. In addition, the study shall identify the project's contribution and shall provide locations and sizes of catchments and system connection points and all downstream drainage mitigation measures.
- 1.6. Prepare and submit a final grading plan showing building footprints, pad elevations, finished grades, drainage routes, retaining walls, erosion control, slope easements and other pertinent information in accordance with Appendix J of the California Building Code, latest edition.

- 1.7. Provide a certificate, from a Registered Civil Engineer, certifying that the finished grading has been completed in accordance with the City approved grading plan.
- 1.8. Submit a soils/geology report in accordance with Appendix J of the California Building Code, latest edition to the project engineer for review and approval.
- 1.9. All impacted and interior streets/facilities shall be designed per City Standards and constructed in accordance with City Code, Standards and Specifications. All public street intersection improvements at project boundaries shall be functional and operational on their own, regardless of the timing or phasing of surrounding developments. All damage to existing public improvements due to the proposed construction activities shall be repaired as requested by the Public Works Inspector.
- 1.10. All improvements shall comply with federal, state, and local accessibility regulations and standards.
 - a. The review or approval of plans and specifications by the City does not permit the violation of any section of the federal law, state law, building code, or local ordinance.
 - b. Where accessibility standards are contradictory, the provision that provides the most accessible (restrictive) condition shall apply.
 - c. Where the project's conditions of approval conflict with accessibility regulations and standards, the prevailing provision shall be determined by City's Accessibility Coordinator and City Engineer.

Pedestrian facilities (privately or publicly owned) that are open to the public shall comply with the City's Policy on Accessible Pedestrian Facilities, accessibility standards in the CBC, and the Americans with Disabilities Act (ADA) regulations in Part 36 of Title 28, which include the 2010 (ADA) Standards.

Accessibility of existing and proposed building improvements will be evaluated by the City's building department. Those comments and requests are in addition to those provided herein.

- 1.11. Execute a Subdivision Agreement and submit security in an amount acceptable to the City Engineer to guarantee construction of any public improvements. All security must be accessible to the City at any time and in a form acceptable to the City Engineer, pursuant to Government Code, Section 66499.
- 1.12. If Covenants, Conditions and Restrictions (CC&R) are necessary, provide a set for review and approval. The proposed CC&Rs shall contain the Association's/Owner's maintenance obligations with respect to various facilities including, but not limited to, right-of-way landscaping, private streets, sidewalks, utilities, streetlights, and Water Quality Management Plan (WQMP) features. This document must be submitted to and approved by the City before it is submitted to any other governmental entity.
- 1.13. Provide a Monumentation Bond in an amount specified in writing by a Registered Engineer or Licensed Land Surveyor of Record.
- 1.14. Comply with all applicable requirements of the City Code.
- 1.15. Comply with Pedestrian Accessibility Plan submitted with underlying project conditions of approval (TTM 16420-8).

The project must ensure that all pedestrian facilities (private or publicly owned) that are open to the public shall comply with accessibility standards in the City's Policy on Accessible Pedestrian Facilities, the current edition of the CBC in effect at the time of building permit issuance or, if no permit, the date construction commences, and Part 36 of Title 28 of the Americans with Disabilities Act (ADA) regulations, which include the 2010 ADA Standards. This includes the following structures and facilities:

- a. Sidewalks and walks (public right of way sidewalk, walks within the development);
- b. Curb ramps (should be directional with one curb ramp provided for each pedestrian crossing and shall comply with the City' Policy on Accessible Pedestrian Facilities);
- c. Pedestrian crossings at driveways;
- d. Crosswalks (marked, unmarked, signalized); and
- e. Path of travel from right-of-way to recreation facilities (parks, restroom).

- 1.16. Pay all applicable fees pursuant to City Code including, but not limited to, the Development Impact Fees (DIF) and Sewage Facilities Development Fee (SFDF). The actual amount of fees due to the City will be based on the fee schedule in place on the date that the fees are due, or the date that they are paid, whichever occurs last. The fee amount stated in this notice is subject to change based on (1) annual adjustments for inflation, pursuant to Chino Municipal Code Section 3.40.100 or 3.45.100, (2) revisions to the Chino Municipal Code, and (3) updates to the fee studies and nexus reports adopted by the City.

Developer is solely responsible for remaining informed about changes in the fee amounts. City shall have no obligation to inform Developer of changes in the fee amounts unless Developer requests notice of such changes, pursuant to Government Code Section 66019(b) and Chino Municipal Code Section 3.40.080(B) or 3.45.080(B).

Should the Applicant claim entitlement to fee schedule protections under the Housing Crisis Act of 2019 (SB 330; Gov. Code § 66300), the burden shall be on the Applicant to demonstrate to the satisfaction of the City that a valid and complete preliminary application was timely submitted and accepted pursuant to State law. Upon City verification of such submittal, the applicable DIF and SFDF shall be calculated based on the fee schedule in effect on the date of preliminary application submittal, subject to any lawful exceptions or adjustments allowed under State law. This provision shall not restrict the City from applying any fee increases adopted and made effective prior to the date of said preliminary application, including authorized cost index-based adjustments or annual escalators.

- 1.17. All projects developing one (1) acre or more of total land area, or which are part of a larger phased development that will disturb one acre of land, are required to obtain coverage under the State Water Resources Control Board's (SWRCB) General Permit for storm water discharges associated with construction activity. Proof of filing a Notice of Intent (NOI) with the SWRCB for coverage under this permit is required. A copy of the Waste Discharger's Identification Number (WDID), issued by the SWRCB, must be submitted to the Project Engineer prior to issuance of grading permits. More detailed information regarding this General Permit, applicable fee information and the necessary forms to complete the NOI are available by calling (916) 341-5537 or on the SWRCB web site at:

http://www.swrcb.ca.gov/water_issues/programs/stormwater/constpermits.shtml.

- 1.18. Pursuant to Santa Ana Regional Water Quality Control Board Order Number R8-2010-0036, NPDES Permit No. CAS618036, prepare a project-specific Water Quality Management Plan (WQMP) and submit to the project engineer for review and approval. To address NPDES Permit requirements to the maximum extent practicable, the project shall be designed to specify preferential use of Low Impact Development Best Management Practices that reduce pollutants and runoff volume through structural measures (e.g., infiltration, harvesting, and bio-treatment) and non-structural measures (e.g., preserving natural areas, clustering development, and reducing impervious areas). The WQMP shall conform to the requirements of the San Bernardino County Stormwater Program, 2013 WQMP Technical Guidance Document and include the Trash Order Implementation Plan requirements.
- 1.19. Any future maintenance and repair of sewer laterals, except for the portion of lateral located within the public right-of-way or public easement, and domestic water or fire service laterals to the project site shall be the sole responsibility of the applicant/property owner in accordance with City Code, Chapter 13.04.175 and 13.12.150.

- 1.20. City staff has determined that recycled water be used for grading operations, dust control activities, and public right-of-way area landscape irrigation. An evaluation of compliance to the California State Water Resources Control Board latest requirements shall be made at the time of permit issuance.
 - 1.21. All public street corners shall have a minimum curb radii per City Code, Chapter 19.06 and City Standards and Specifications.
 - 1.22. Provide adequate sight distance per City Standard No. 865 for each project driveway and at all intersections. Landscaping type and height shall be maintained to ensure sight distance requirements are perpetuated.
 - 1.23. Prior to installation of underground utilities, CCTV inspection of existing sewer and storm drain conduits that may be impacted by the construction shall be performed and recordings submitted to the City for comparison to post-construction inspection.
 - 1.24. Provide a copy of and comply with the Construction Management Plan previously requested on other tracts that includes but is not limited to construction notifications, noise mitigation, milestones for the phasing of interim and ultimate public improvements that coincide with building permitting and occupancy, construction yard, pedestrian mobility, and temporary traffic control.
 - 1.25. The developer shall be responsible for the modification of the traffic signals on Pine Avenue and West Preserve Loop. During construction, the developer shall be responsible for any damages attributed to the construction of related public improvements and shall coordinate with the Transportation Division and the City's designated traffic signal maintenance company for technical support of the traffic signal during construction until such time as the improvements are accepted by the City to the satisfaction of the City Engineer.
 - 1.26. Contract with the Preserve Master Maintenance Corporation or provide for other means acceptable to the Public Works Director for continued maintenance of public street lights, public sidewalks and landscaping.
 - 1.27. Per conditions specified on Tentative Tract Map 16420-8:
 - i. The developer shall be required to execute a Chino Basin Watermaster "Voluntary Agreement" with the City in those instances where such an agreement applies. For example, such instances would include developer-acquired acreage that is planned for development, but the timing of that development occurs as some future date and the acreage is proposed to be used for agricultural purposes utilizing City provided water in the interim. The Voluntary Agreement and any necessary amendments to existing agreements must be fully executed prior to the provision of City supplied water for agricultural purposes.
 - 1.28. Submit to the City electronic files, in Adobe Acrobat PDF format, of all submittals, including reports, studies, improvement plans and City redlines of previous submittals. Include AutoCAD and Esri GIS shape files as an e-transmitted zip file of all approved improvement plans
- 2.0 **PRIOR TO REQUEST FOR AND RELEASE OF OCCUPANCY PERMITS/ACCEPTANCE OF PUBLIC IMPROVEMENTS:**
- 2.1. Construct and secure Public Works Department approval of all public facilities enumerated under Section 1.0 above (per Resolution No. 88-23).
 - 2.2. The applicant's Civil Engineer shall field verify that all BMPs are designed, constructed, and functional in accordance with the approved WQMP. BMPs shall also be inspected by Public Works Environmental staff. Coordinate inspection with staff and submit a completed City of Chino BMP field verification form for review and approval.
 - 2.3. Pay all remaining applicable fees pursuant to City Code.

- 2.4. Rehabilitate all street pavement along all streets impacted by the development as directed by City staff. Install signing and striping per approved plans.
- 2.5. Submit to the City, electronic files of Tract Map and improvement plans in AUTOCAD, Esri GIS shape and Adobe Acrobat PDF formats. AUTOCAD files shall be submitted as an etransmitted zip file of the CAD drawings with all base files attached. Scanned resolution of PDF shall be a minimum of 360 dpi.

3.0 PRIOR TO FINAL ACCEPTANCE/PROJECT CLOSEOUT:

- 3.1 Complete all Conditions of Approval listed under Sections 1-2 above, all Conditions of Approval for TTM 16420-8, and all conditions applicable to this phase from TTM 16420.
- 3.2 As specified in the TTM 16420-8 conditions, submit to the City a letter from the surveyor indicating monuments required for the map have been set and they have been fully paid for their services.
- 3.3 After installation of underground utilities, perform CCTV inspection of the existing conduits that were CCTV inspected prior to construction and all new storm drain and sewer conduits that are less than 48-inch in diameter.
- 3.4 Set new monuments that have been damaged or destroyed as a result of construction. Monuments shall be set in accordance with City Standards.
- 3.5 The Developer is responsible for the repair and maintenance of public right-of-way or private property from substantial construction completion until final acceptance of improvements. Provide and implement maintenance schedule of infrastructure improvements should final acceptance by the City Council not occur within one year after the construction was completed.
- 3.6 Upon final cap of the street improvements, the City of Chino strongly advises against any future street cuts for the purposes of underground utility installation for a period of Five Years. If additional cuts are required, the City Engineer may require additional street repair (length and width / full depth paving) as deemed necessary to ensure the structural integrity of the roadway.
- 3.7 Submit to the City, electronic files of "as-built" improvement plans in AUTOCAD, Esri GIS shape and Adobe Acrobat PDF formats. AUTOCAD files shall be submitted as an etransmitted zip file of the CAD drawings with all base files attached. Scanned resolution of PDF shall be a minimum of 360 dpi.

Attachment

**CITY OF CHINO
PUBLIC WORKS DEPARTMENT
DEVELOPMENT ENGINEERING DIVISION**

PROJECT NO. PL24-0110

PROJECT ENGINEER: Daniel Aguirre and Felicia Marshall

DATE: 8/12/2025

A COPY OF THIS CHECK LIST MUST BE PROVIDED ALONG WITH A COMPLETED PLAN CHECK REVIEW APPLICATION TO THE ENGINEERING TECHNICIAN WHEN MAKING AN APPOINTMENT FOR FIRST PLAN CHECK SUBMITTAL

- ☒ Copy of Development Engineering Division Conditions of Approval
- ☒ Plan Check Fee Calculation Form
- ☐ Maps (Subdivision Only)
- ☐ Preliminary Title Report (no older than six months) (Subdivision Only)
- ☐ Closure Calculations (Subdivision Only)
- ☐ Referenced Maps (Subdivision Only)
- ☒ Preliminary Soils Report (no older than sixty days)
- ☐ Lot line adjustment certificate
- ☐ Lot merger
- ☐ Right-of-way dedication
- ☐ Rough Grading Plans
- ☒ Precise Grading Plans
- ☒ Storm Drain Plans
- ☒ Hydrology and Hydraulic Calculations with Backup Data (Signed and Sealed by a Registered Civil Engineer)
- ☒ Engineering Cost Estimate (On City Forms) with Engineer's Wet Signature and Stamp
- ☒ Street Improvements Plans (For Private Streets, this can be included on the Precise Grading Plan)
- ☐ Cross-Sections (if street plans are required) at 50' intervals and extended a minimum of 100' beyond limits of improvements
- ☒ Sewer Plans
- ☒ Domestic Water Plans
- ☒ Recycled Water Plans
- ☒ Street Light Plans
- ☒ Voltage Drop Calculations (Signed and Sealed by a Registered Engineer)
- ☒ Signing and Striping Plans (Private)
- ☐ Traffic Signal Interconnect Plans
- ☒ Traffic Signal Plans
- ☒ Water Quality Management Plan
- ☐ Construction Management Plan