Consolidated Forms 3, 4 & 5

CONSOLIDATED WATER TRANSFER FORMS:

FORM 3: APPLICATION FOR SALE OR TRANSFER OF RIGHT TO PRODUCE WATER FROM STORAGE FORM 4: APPLICATION OR AMENDMENT TO APPLICATION TO RECAPTURE WATER IN STORAGE FORM 5: APPLICATION TO TRANSFER ANNUAL PRODUCTION RIGHT OR SAFE YIELD

FISCAL YEAR 2025 - 2026

DATE	REQUESTED: 6/17/	2025		AMOUNT REQUESTED: 2,000 Acre-Feet				
TRANSFER FROM (SELLER / TRANSFEROR):			TRANSFER TO (BUYER / TRANSFEREE):					
City o	f Chino			Niagara Bottling, LLC				
Name	Name of Party			Name of Party				
13220	Central Ave			1440 Bridgegate Dr.				
	Address			Street Address				
Chino		CA	91710	Diamond Bar	CA	91765		
City		State	Zip Code	City	State	Zip Code		
(909)	334-3250			(909) 230-5000				
Telep				Telephone				
Facsi	mile			-	Facsimile			
PURPOSE OF TRANSFER: Pump when other sources of supply are curtailed Pump to meet current or future demand over and above production right Pump as necessary to stabilize future assessment amounts Other, explain								
WATE	R IS TO BE TRANSF	ERRED F	ROM:					
	Annual Production Right (Appropriative Pool) or Operating Safe Yield (Non-Agricultural Pool) Storage Annual Production Right / Operating Safe Yield first, then any additional from Storage Other, explain Storage - Excess carry over							
WATE	R IS TO BE TRANSF			ld (common)				
	Annual Production Right / Operating Safe Yield (common) Storage (rare)							
	Other, explain							

Consolidated Forms 3, 4 & 5 cont.

Is the Buyer an 85/15 Party? Is the purpose of the transfer to meet a current demand over and above production right? Yes No Is the water being placed into the Buyer's Annual Account? IF WATER IS TO BE TRANSFERRED FROM STORAGE: 1500 AFY Projected Rate of Recapture METHOD OF RECAPTURE (e.g. pumping, exchange, etc.): Pumping PLACE OF USE OF WATER TO BE RECAPTURED: Ontario Facility LOCATION OF RECAPTURE FACILITIES (IF DIFFERENT FROM REGULAR PRODUCTION FACILITIES): N/A WATER QUALITY AND WATER LEVELS Are the Parties aware of any water quality issues that exist in the area? What are the existing water levels in the areas that are likely to be affected? MATERIAL PHYSICAL INJURY Are any of the recapture wells located within Management Zone 1? Yes No If yes, what are the proposed mitigation measures, if any, that might reasonably be imposed to ensure that the action does not result in Material Physical Injury to a party to the Judgment or the Basin?	IS THE 85/15 RULE EXPECTED TO APPLY? (If yes, all answers below must be "yes.")	Yes		No	×
Is the water being placed into the Buyer's Annual Account? IF WATER IS TO BE TRANSFERRED FROM STORAGE: 1500 AFY	Is the Buyer an 85/15 Party?	Yes		No	Г
IF WATER IS TO BE TRANSFERRED FROM STORAGE: 1500 AFY Projected Rate of Recapture Projected Duration of Recapture METHOD OF RECAPTURE (e.g. pumping, exchange, etc.): Pumping PLACE OF USE OF WATER TO BE RECAPTURED: Ontario Facility LOCATION OF RECAPTURE FACILITIES (IF DIFFERENT FROM REGULAR PRODUCTION FACILITIES): N/A WATER QUALITY AND WATER LEVELS Are the Parties aware of any water quality issues that exist in the area? Yes \(\text{NO} \) \(\text{F} \) If yes, please explain: What are the existing water levels in the areas that are likely to be affected? MATERIAL PHYSICAL INJURY Are any of the recapture wells located within Management Zone 1? Yes \(\text{NO} \) \(\text{F} \) Is the Applicant aware of any potential Material Physical Injury to a party to the Judgment or the Basin that may be caused by the action covered by the application? Yes \(\text{NO} \) \(\text{F} \)	Is the purpose of the transfer to meet a current demand over and above production right?				Γ
January to December	Is the water being placed into the Buyer's Annual Account?				
January to December					
Projected Rate of Recapture Projected Duration of Recapture METHOD OF RECAPTURE (e.g. pumping, exchange, etc.): Pumping PLACE OF USE OF WATER TO BE RECAPTURED: Ontario Facility LOCATION OF RECAPTURE FACILITIES (IF DIFFERENT FROM REGULAR PRODUCTION FACILITIES): N/A WATER QUALITY AND WATER LEVELS Are the Parties aware of any water quality issues that exist in the area? Yes \(\triangle \) No \(\triangle \) If yes, please explain: What are the existing water levels in the areas that are likely to be affected? MATERIAL PHYSICAL INJURY Are any of the recapture wells located within Management Zone 1? Yes \(\triangle \) No \(\triangle \) Is the Applicant aware of any potential Material Physical Injury to a party to the Judgment or the Basin that may be caused by the action covered by the application? Yes \(\triangle \) No \(\triangle \)	IF WATER IS TO BE TRANSFERRED FROM STORAGE:				
Projected Rate of Recapture Projected Duration of Recapture METHOD OF RECAPTURE (e.g. pumping, exchange, etc.): Pumping PLACE OF USE OF WATER TO BE RECAPTURED: Ontario Facility LOCATION OF RECAPTURE FACILITIES (IF DIFFERENT FROM REGULAR PRODUCTION FACILITIES): N/A WATER QUALITY AND WATER LEVELS Are the Parties aware of any water quality issues that exist in the area? Yes \(\triangle \) No \(\triangle \) If yes, please explain: What are the existing water levels in the areas that are likely to be affected? MATERIAL PHYSICAL INJURY Are any of the recapture wells located within Management Zone 1? Yes \(\triangle \) No \(\triangle \) Is the Applicant aware of any potential Material Physical Injury to a party to the Judgment or the Basin that may be caused by the action covered by the application? Yes \(\triangle \) No \(\triangle \)	1500 AFY January to December				
PLACE OF USE OF WATER TO BE RECAPTURED: Ontario Facility LOCATION OF RECAPTURE FACILITIES (IF DIFFERENT FROM REGULAR PRODUCTION FACILITIES): N/A WATER QUALITY AND WATER LEVELS Are the Parties aware of any water quality issues that exist in the area? Yes \(\text{No} \) \(\text{No} \) \(\text{If yes, please explain:} \) What are the existing water levels in the areas that are likely to be affected? MATERIAL PHYSICAL INJURY Are any of the recapture wells located within Management Zone 1? Yes \(\text{No} \) \(\text{No} \) \(\text{Is the Applicant aware of any potential Material Physical Injury to a party to the Judgment or the Basin that may be caused by the action covered by the application? Yes \(\text{No} \) \(\text{No} \) \(If yes, what are the proposed mitigation measures, if any, that might reasonably be imposed to ensure that the					
PLACE OF USE OF WATER TO BE RECAPTURED: Ontario Facility LOCATION OF RECAPTURE FACILITIES (IF DIFFERENT FROM REGULAR PRODUCTION FACILITIES): N/A WATER QUALITY AND WATER LEVELS Are the Parties aware of any water quality issues that exist in the area? Yes No If yes, please explain: What are the existing water levels in the areas that are likely to be affected? MATERIAL PHYSICAL INJURY Are any of the recapture wells located within Management Zone 1? Yes No If Is the Applicant aware of any potential Material Physical Injury to a party to the Judgment or the Basin that may be caused by the action covered by the application? Yes No If Yes, what are the proposed mitigation measures, if any, that might reasonably be imposed to ensure that the	METHOD OF RECAPTURE (e.g. pumping, exchange, etc.):				
PLACE OF USE OF WATER TO BE RECAPTURED: Ontario Facility LOCATION OF RECAPTURE FACILITIES (IF DIFFERENT FROM REGULAR PRODUCTION FACILITIES): N/A WATER QUALITY AND WATER LEVELS Are the Parties aware of any water quality issues that exist in the area? Yes No If yes, please explain: What are the existing water levels in the areas that are likely to be affected? MATERIAL PHYSICAL INJURY Are any of the recapture wells located within Management Zone 1? Yes No If Is the Applicant aware of any potential Material Physical Injury to a party to the Judgment or the Basin that may be caused by the action covered by the application? Yes No If Yes, what are the proposed mitigation measures, if any, that might reasonably be imposed to ensure that the	Pumping				
Contario Facility LOCATION OF RECAPTURE FACILITIES (IF DIFFERENT FROM REGULAR PRODUCTION FACILITIES): N/A WATER QUALITY AND WATER LEVELS Are the Parties aware of any water quality issues that exist in the area? Yes \(\text{No} \) \(\text{No} \) \(\text{IF} \) If yes, please explain: What are the existing water levels in the areas that are likely to be affected? MATERIAL PHYSICAL INJURY Are any of the recapture wells located within Management Zone 1? Yes \(\text{No} \) \(\text{No} \) \(\text{IS} \) Is the Applicant aware of any potential Material Physical Injury to a party to the Judgment or the Basin that may be caused by the action covered by the application? Yes \(\text{No} \) \(\text{No} \) \(\text{IF} \)					
WATER QUALITY AND WATER LEVELS Are the Parties aware of any water quality issues that exist in the area? Yes \(\scale= \) No \(\text{K} \) If yes, please explain: What are the existing water levels in the areas that are likely to be affected? MATERIAL PHYSICAL INJURY Are any of the recapture wells located within Management Zone 1? Yes \(\scale= \) No \(\text{K} \) Is the Applicant aware of any potential Material Physical Injury to a party to the Judgment or the Basin that may be caused by the action covered by the application? Yes \(\scale= \) No \(\text{K} \)	PLACE OF USE OF WATER TO BE RECAPTURED:				
WATER QUALITY AND WATER LEVELS Are the Parties aware of any water quality issues that exist in the area? Yes No F If yes, please explain: What are the existing water levels in the areas that are likely to be affected? MATERIAL PHYSICAL INJURY Are any of the recapture wells located within Management Zone 1? Yes No F Is the Applicant aware of any potential Material Physical Injury to a party to the Judgment or the Basin that may be caused by the action covered by the application? Yes No F If yes, what are the proposed mitigation measures, if any, that might reasonably be imposed to ensure that the	Ontario Facility				
WATER QUALITY AND WATER LEVELS Are the Parties aware of any water quality issues that exist in the area? Yes □ No ▼ If yes, please explain: What are the existing water levels in the areas that are likely to be affected? MATERIAL PHYSICAL INJURY Are any of the recapture wells located within Management Zone 1? Yes □ No ▼ Is the Applicant aware of any potential Material Physical Injury to a party to the Judgment or the Basin that may be caused by the action covered by the application? Yes □ No ▼ If yes, what are the proposed mitigation measures, if any, that might reasonably be imposed to ensure that the	LOCATION OF RECAPTURE FACILITIES (IF DIFFERENT FROM REGULAR PRODUCTION	FACII	LITIES	S):	
Are the Parties aware of any water quality issues that exist in the area? Yes \(\triangle \) No \(\triangle \) If yes, please explain: What are the existing water levels in the areas that are likely to be affected? MATERIAL PHYSICAL INJURY Are any of the recapture wells located within Management Zone 1? Yes \(\triangle \) No \(\triangle \) Is the Applicant aware of any potential Material Physical Injury to a party to the Judgment or the Basin that may be caused by the action covered by the application? Yes \(\triangle \) No \(\triangle \)	N/A				
MATERIAL PHYSICAL INJURY Are any of the recapture wells located within Management Zone 1? Yes \(\subseteq \) No \(\subseteq \) Is the Applicant aware of any potential Material Physical Injury to a party to the Judgment or the Basin that may be caused by the action covered by the application? Yes \(\subseteq \) No \(\subseteq \)	SOLUTION DE MENONEMENT ASSOCIATION DE LA SOLUTION D	×			
Are any of the recapture wells located within Management Zone 1? Yes \(\Bar{\text{Ves}} \\ \Delta \text{No} \\ \Bar{\text{\text{\text{\text{\text{\text{Pos}}}}}} \) No \(\Bar{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{No}}}}}}}} \) Is the Applicant aware of any potential Material Physical Injury to a party to the Judgment or the Basin that may be caused by the action covered by the application? Yes \(\Dar{\text{\text{\text{\text{\text{No}}}}} \) No \(\text{\text	What are the existing water levels in the areas that are likely to be affected?				
Is the Applicant aware of any potential Material Physical Injury to a party to the Judgment or the Basin that may be caused by the action covered by the application? Yes \sqcap No \blacksquare If yes, what are the proposed mitigation measures, if any, that might reasonably be imposed to ensure that the	MATERIAL PHYSICAL INJURY				
caused by the action covered by the application? Yes \(\Gamma\) No \(\mathbb{\text{\text{\$\scirc}\$}}\) If yes, what are the proposed mitigation measures, if any, that might reasonably be imposed to ensure that the	Are any of the recapture wells located within Management Zone 1? Yes □ No 🗷				
		e Basii	n that	may b	е
		ensur	e that	the	

Consolidated Forms 3, 4 & 5 cont.

SAID TRANSFER SHALL BE CONDITIONED UPON:

- (1) Transferee shall exercise said right on behalf of Transferor under the terms of the Judgment, the Peace Agreement, the Peace II Agreement, and the Management Zone 1 Subsidence Management Plan for the period described above. The first water produced in any year shall be that produced pursuant to carry-over rights defined in the Judgment. After production of its carry-over rights, if any, the next (or first if no carry-over rights) water produced by Transferee from the Chino Basin shall be that produced hereunder.
- (2) Transferee shall put all waters utilized pursuant to said Transfer to reasonable beneficial use.
- (3) Transferee shall pay all Watermaster assessments on account of the water production hereby Transferred.
- (4) Any Transferee not already a party must Intervene and become a party to the Judgment.

ADDITIONAL INFORMATION ATTACHED	Yes □ No 🗷					
Seller / Transferor Representative Signature Hye Jin Lee Director of Public Works Seller / Transferor Representative Name (Printed)	Buyer / Transferee Representative Signature Geoffrey Kamansky Buyer / Transferee Representative Name (Printed)					
TO BE COMPLETED BY WATERMASTER STAFF:						
DATE OF WATERMASTER NOTICE:						
DATE OF APPROVAL FROM APPROPRIATIVE PO	DATE OF APPROVAL FROM APPROPRIATIVE POOL:					
DATE OF APPROVAL FROM NON-AGRICULTURAL POOL:						
DATE OF APPROVAL FROM AGRICULTURAL PO	OOL:					
HEARING DATE, IF ANY:						
DATE OF ADVISORY COMMITTEE APPROVAL: _						
DATE OF BOARD APPROVAL:						